


Connect Network Cable



Connect Optional Accessories




Startup

After connecting to the network, the SoundStation® IP 5000 automatically powers up via Power over Ethernet (PoE), and begins a process of establishing itself on the network. When this is complete, the idle screen is displayed (as shown below).


For more information, refer to the SoundStation IP 5000 documentation, available online at:

<http://support.polycom.com/voice>




Idle Screen

Keypad



Features



End User License, Warranty, and Safety Notices

LIMITED WARRANTY. Polycom warrants to the end user ("Customer") that this product will be free from defects in workmanship and materials, under normal use and service, for one year from the date of purchase from Polycom or its authorized reseller. Polycom's sole obligation under this express warranty shall be, at Polycom's option and expense, to repair the defective product or part, deliver to Customer an equivalent product or part to replace the defective item, or if neither of the two foregoing options are reasonably available, Polycom may, on its sole discretion, refund to Customer the purchase price paid for the defective product. All products that are replaced will become the property of Polycom. Replacement products or parts may be new or reconditioned. Polycom warrants any replaced or repaired product or part for ninety (90) days from shipment, or the remainder of the initial warranty period, whichever is longer. Products returned to Polycom must be sent prepaid and packaged appropriately for safe shipment, and it is recommended that they be insured or sent by a method that provides for tracking of the package. Responsibility for loss or damage does not transfer to Polycom until the return item is received by Polycom. The repaired or replaced item will be shipped to Customer, at Polycom's expense, not later than thirty (30) days after Polycom receives the defective product, and Polycom will retain risk of loss or damage until the item is delivered to Customer.

EXCLUSIONS: Polycom will not be liable under this limited warranty if its testing and examination disclose that the alleged defect or malfunction in the product does not exist or results from:

- Failure to follow Polycom's installation, operation, or maintenance instructions.
- Unauthorized product modification or alteration.
- Unapproved use of common carrier communication services accessed through the product.
- Abuse, misuse, negligent acts or omissions of Customer and persons under Customer's control; or
- Acts of third parties, acts of God, accident, fire, lightning, power surges or outages, or other hazards.

WARRANTY EXCLUSIVE. IF A POLYCOM PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, CUSTOMER'S SOLE REMEDY FOR BREACH OF THAT WARRANTY SHALL BE REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION, TO THE FULL EXTENT ALLOWED BY LAW, THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUDED IN ALL OF THE FOLLOWING OTHER WARRANTIES, TERMS OR CONDITIONS, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES, TERMS, OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY, CORRESPONDENCE WITH DESCRIPTION, AND NON-INFRINGEMENT, WHICH ARE EXPRESSLY DISCLAIMED. POLYCOM NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS.

SERVICE AGREEMENTS. Please contact your Polycom Authorized Reseller for information about service agreements applicable to your product.

TECHNICAL SUPPORT. Polycom will provide support for software running on the Product if all of the following conditions are satisfied:

- The product is under warranty or is covered by a Polycom service contract;
- The product software is the current major version or the next preceding major

version (software revisions are labeled as "x.y.z," with the first two digits designating major versions).

The product software comes with 90-day software warranty, providing for software updates (minor releases/bug fixes). To continue to receive support, purchasing a maintenance contract is the most economical solution.

Requests for software support should be made through the Polycom Reseller from whom the product was purchased.

LIMITATION OF LIABILITY. TO THE FULL EXTENT ALLOWED BY LAW, POLYCOM EXCLUDES FOR ITSELF AND ITS SUPPLIERS ANY LIABILITY, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE, OR INTERRUPTION OF ITS PRODUCTS, EVEN IF POLYCOM OR ITS AUTHORIZED RESELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, AND LIMITS ITS LIABILITY TO REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE.

DISCLAIMER. Some countries, states, or provinces do not allow the exclusion or limitation of implied warranties or the limitation of incidental or consequential damages for certain products supplied to consumers, or the limitation of liability for personal injury, so that the above limitations and exclusions may be limited in their application to them. When the implied warranties are not allowed to be excluded in their entirety, they will be limited to the duration of the applicable written warranty. This warranty gives you specific legal rights which may vary depending on local law.

GOVERNING LAW. This Limited Warranty and Limitation of Liability shall be governed by the laws of the State of California, U.S.A., and by the laws of the United States, excluding their conflicts of laws principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty and Limitation of Liability. All rights reserved under International and Pan American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent from Polycom, Inc. Do not remove (or allow anybody else to remove) any product identification, copyright or other notices. Polycom, the Polycom logo design, and SoundStation IP 5000 are trademarks of Polycom, Inc. in the U.S. and various other countries.

COPYRIGHT. All rights reserved under International and Pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent of Polycom, Inc. Polycom® and the logo design are registered trademarks and SoundStation is a trademark of Polycom, Inc. in the United States and various countries. Do not remove (or allow any third party to remove) any product identification, copyright or other notices.

CE Mark R & TTE Directive (EU Only)

Polycom (UK) Ltd tímto prohlašuje, že tento Polycom SoundStation IP 5000 je v súlade so základnými požiadavkami a ďalšími príslušnými technickými smernicami 1999/5/EC.

Underneath Polycom (UK) Ltd declares hereunder, at following udsty Polycom SoundStation IP 5000 overholder de væsentlige krav og øvrige relevante bestemmelser i direktiv 1999/5/EC.

Heimi eilakir Polycom (UK) Ltd, dass sich das Gerät Polycom SoundStation IP 5000 in Übereinstimmung mit den grundlegenden Anforderungen und den übrigen einschlägigen Bestimmungen der Richtlinie 1999/5/EC befindet.

Käsittelevä luvittaa Polycom (UK) Ltd saadale Polycom SoundStation IP 5000 vastavalt direktiivi 1999/5/EC põhiolemule ja lisatsetud direktiivi lüüvetele vastavale asjakohasele sättele.

Herby, Polycom (UK) Ltd, declares that this Polycom SoundStation IP 5000 is in compliance with the essential requirements and other relevant directives of Directive 1999/5/EC.

Por medio de la presente Polycom (UK) Ltd declara que el Polycom SoundStation IP 5000 cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 1999/5/CE.

ME TĪN PĀRĀPOLYCOM (UK) LTD ŽĀDĒJĀŅI POLYCOM SOUNDSTATION IP 5000 ĒMĀRĀPŪKŅĀTĀ NPĒTE TĪŅŪDZĪBĒ ATĀRĪTĒBĒI UN TĪŅŪDZĪBĒI ATĀRĪTĒBĒI. 1999/5/EC.

Par la présente Polycom (UK) Ltd déclare que l'appareil Polycom SoundStation IP 5000 est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 1999/5/CE.

Na presentie Polycom (UK) Ltd dichiara che questo Polycom SoundStation IP 5000 è conforme ai requisiti essenziali e qualsiasi altra disposizione applicabile della direttiva 1999/5/CE.

Her með yfir Polycom (UK) Ltd þfi þá Polycom SoundStation IP 5000 er í samrám við grunngirfor og aðrar kröfur, sem gerar einn á tilskilum 1999/5/EC.

As the Polycom (UK) Ltd declares, ka Polycom SoundStation IP 5000 atitil Direktiivs 1999/5/EC būtšajam prasšam un olem ar ša šastšajam notšajam.

SAFETY AND REGULATORY INFORMATION.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interferences received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used according to the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/TV technician for help.
- Herby, Polycom, Inc. declares that the products in this manual are CE marked and in compliance with all EU directives and regulations that apply to them including; R&TTE Directive 1999/5/EC. A copy of the Declaration of Conformity can be obtained from Polycom Ltd., 270 Bath Road, Slough, Berkshire, SL1 4DX, UK.

In accordance with Part 15 of the FCC Rules, the user is cautioned that any changes or modifications not expressly approved by Polycom, Inc. could void the user's authority to operate the equipment.

Operating Ambient Conditions:

- Operating temperature: +41 to 104°F (5 to 40°C)
 - Relative humidity: 10% to 85% noncondensing
 - Storage temperature: -22 to +131°F (-30 to +55°C)
- Installation must be performed in accordance with all relevant national wiring rules.

The installation doit être exécutée conformément à tous les règlements nationaux applicable au câblage électrique.

The outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible. When using Power over Ethernet (PoE), the equipment is to be connected only to PoE networks without connections to the outside plant.

La prise électrique à laquelle l'appareil est branché doit être installée près de l'équipement

Contact Information:

Please contact your Polycom Authorized Reseller for assistance.

Šuo Polycom (UK) Ltd deklaruja, ka šis Polycom SoundStation IP 5000 atitinka esminius reikalavimus ir klas 1999/5/EB Direktivos nuostatas.

Herby vkeklart Polycom (UK) Ltd det heretst Polycom SoundStation IP 5000 i overensstemmelse med de væsentlige esisen de de andre relevante bestgelinger ved riktlinje 1999/5/EC.

Hannwark, Polycom (UK) Ltd, jodgkkr i den Polycom SoundStation IP 5000 jkkn-forma mat-Priligtj essensal i en provvedning ofhrn: reiser i temu ka direktiv 1999/5/EC.

Alluort, Polycom (UK) Ltd nylakžon, hvo a Polycom SoundStation IP 5000 megelja a vorkokžaj ajlyvjet kvotvemetšneknkš e az 1999/5/EC itynjly ešlyvjet ešlyvjet.

Polycom (UK) Ltd eilakar heretst at udsty Polycom SoundStation IP 5000 er i samrsm med de grunngelende krav og øvrige relevante krav i direktiv 1999/5/EC.

Ninešajm Polycom (UK) Ltd ovladava, že Polycom SoundStation IP 5000 ži zpolne z zadajšajimi vygnajnikami az inšimi strojovymy postrovanjemi Direktivy 1999/5/EC.

Polycom (UK) Ltd declara que este Polycom SoundStation IP 5000 est conforme com os requisitos essenciais e outras disposições da Directiva 1999/5/CE.

Polycom (UK) Ltd žiglja, da je ta Polycom SoundStation IP 5000 u skladu z bitševnim zahtevim in ostalimi relevantnimi določili direktive 1999/5/EC.

Polycom (UK) Ltd tímto vyhlašuje, že Polycom SoundStation IP 5000 spĺňa základné požiadavky a všetky príslušné ustanovenia Smernice 1999/5/EC.

Polycom (UK) Ltd vakušata šitn ešlyvjet Polycom SoundStation IP 5000 tšippen šitn ar direktivini 1999/5/EC ošlešlajn vaštšajam ja ša ša kosveter direktivim olem ešlyvjet mušajam.

Hanned ityler Polycom (UK) Ltd at denne Polycom SoundStation IP 5000 šitir i overensstemmelse med de væsentlige egenskapskrav og øvrige relevante bestemmelser som fastlagt i direktiv 1999/5/EC.

et doit toujours être facilement accessible. Lorsque vous utilisez une alimentation électrique par câble digital (PoE = Power over Ethernet), l'équipement doit être connecté uniquement aux réseaux PoE sans connexions vers l'extérieur de l'usine.

This Class [B] ethernet apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe [B] sera conforme à la norme NMB-003 du Canada.

To avoid electric shock, do not connect safety extra low voltage (SELV) circuits to telecommunication station network (TNV) circuits. LAN ports contain SELV circuit, and WAN ports contain TNV circuit. Some LAN and WAN ports both use RJ-45 connectors. Use caution when connecting cables. This product is rated 48Vdc, 0.38A. When used with the optional external power supply (PSC18U-480, or similar rated PSU), the power supply shall be a Listed power supply with a LPS outlet, rated 48V, min. 0.38A.

Atin d'éviter les chocs électriques, ne pas connecter de circuits de tension extra-basse de sécurité (SELV) à des circuits de réseau de stations de télécommunication (TNV). Les ports LAN contiennent un circuit SELV et les ports WAN contiennent des circuits TNV. Certains ports LAN et WAN utilisent tous deux des connecteurs RJ-45. Faites preuve de prudence lors de la connexion des câbles. Ce produit est classé 48Vdc, 0,38A. Lorsqu'il est utilisé avec le bloc d'alimentation externe facultatif, PSC18U-480, ou une alimentation semblable, l'alimentation électrique doit être répertoriée et muée d'une sortie LPS, possédant les caractéristiques suivantes : 48 V, 0,38 A min.

In addition, all PoE sources must meet the Limited Power Source requirements of IEC 60950-1:2005 (2nd Edition); Am1:2009 or IEC 60950-1:2005 (2nd Edition); Am1:2009; Am2:2013.

En outre, toutes les sources PoE doivent satisfaire aux exigences de source d'alimentation limitée de la IEC 60950-1:2005 (2ème édition); Am1:2009 ou IEC 60950-1:2005 (2ème édition); Am1:2009; Am2:2013.

Australia Warning: This equipment will be inoperable when mains power fails.

Japan:

この装置は、プラグイン電源供給装置です。この装置は、電源供給回路（電源）と直接接続するケーブル（PoE）を使用する必要があります。この装置がネットワーク（TNV）と接続するときに、LANポートはSELV回路、WANポートはTNV回路の両方を使用する場合があります。電源供給回路はどちらもRJ-45コネクタを使用します。ケーブルを接続するときは、この装置は48Vdc、0.38Aです。オプションの外部電源（PSC18U-480、または同等のPSU）を使用する場合は、LPS出力を備えた電源供給装置であることが必要です。48V、最小0.38A。

In addition, all PoE sources must meet the Limited Power Source requirements of IEC 60950-1:2005 (2nd Edition); Am1:2009 or IEC 60950-1:2005 (2nd Edition); Am1:2009; Am2:2013.

Australia Warning: This equipment will be inoperable when mains power fails.

Japan:

この装置は、プラグイン電源供給装置です。この装置は、電源供給回路（電源）と直接接続するケーブル（PoE）を使用する必要があります。この装置がネットワーク（TNV）と接続するときに、LANポートはSELV回路、WANポートはTNV回路の両方を使用する場合があります。電源供給回路はどちらもRJ-45コネクタを使用します。ケーブルを接続するときは、この装置は48Vdc、0.38Aです。オプションの外部電源（PSC18U-480、または同等のPSU）を使用する場合は、LPS出力を備えた電源供給装置であることが必要です。48V、最小0.38A。

In addition, all PoE sources must meet the Limited Power Source requirements of IEC 60950-1:2005 (2nd Edition); Am1:2009 or IEC 60950-1:2005 (2nd Edition); Am1:2009; Am2:2013.

Australia Warning: This equipment will be inoperable when mains power fails.

Japan:



<http://www.polycom.com>

Polycom, Inc. 6001 America Center Drive, San Jose, CA 95002 USA